
## PLASTIC GAUGE (1 TO 12 PCS) / SOCK OUT



Total length (mm)	Measurement range (mm)	Color	Quantity	Part Number	Unit Price	
()	0.102~0.229	Blue	1	M-MPB1	(E)	
000	0.025~0.075	Green	1	M-MPG1	tatio	
300	0.050~0.15	Red	1	M-MPR1	lot	
	0.23~0.51	Yellow	1	M-MPY1	Ğ	



Guide of Package Sales Save more with this bulk sales service.

	Total	Measurement range (mm)	Color	Quantity	Part	Unit Price
	length (mm)				Number	1~3 sets
	300	0.102~0.229	Blue	12	M-MPB1-12	
		0.025~0.075	Green	12	M-MPG1-12	
		0.050~0.15	Red	12	M-MPR1-12	pot
		0.23~0.51	Yellow	12	M-MPY1-12	Ö

## ■ Features

- · A gauge that measures the gap between parting lines.
- Since the gap is measured at the width where the gauge is squeezed and expanded, it is possible to measure curved surfaces and parts out of sight.
- It is made of soft petroleum wax, preventing damage to the workpiece.

## ■ How to Use

- 1) Wipe oil and dirt off the workpiece.
- (2) Insert a plastic gauge cut to a suitable size into the workpiece and squeeze it.
- 3 Measure the expansion width according to the scale on the bag.



**Part Number** 

MPB1 MPB1-12











## Application


- · Can be used to forcibly turn and remove stripped bolts or setscrews using a wrench.
- · Repeated use is possible.

Application	Set contents	Quantity	Part Number	Unit Price	
Application			Type	No.	1 set
For optoproup	M3, 4, 5, 6	4	M-MEN	1	
For setscrews	M6, 8, 10, 12, 16	5	IVI — IVI E IV	2	ii
	M3, 4, 5, 6	4	M-MEB	1	otat
For cap bolts	M6, 8, 10, 12, 14	5		2	) ng
	M16, 18, 20, 24	4		3	



· Forcibly turn and remove bolts and screws with a wrench.

Material: Heat treated alloy steel





Part Number M-MEN-1







